version: 7E70925



# LB Broth (Miller's Modification)

#GCM06.0500 (500g) (FOR RESEARCH ONLY)



**Product:** Dehydrated powder for the preparation of nutritionally rich liquid medium (broth) for the

growth and maintenance of recombinant strains of Escherichia coli in molecular biology

studies.

**Quantity:** 500g

## Formulation (g/L)

Tryptone: 10.00 Yeast Extract: 5.00

NaCl: 0.50

Final pH (25°C): 7.0 ± 0.2

**Appearance:** Beige powder. Autoclaved medium should be amber, slightly opalescent

**Storage:**  $2^{\circ}\text{C} - 25^{\circ}\text{C}$ . When not in use, keep container closed to avoid hydration.

**QC:** Each lot is tested by inoculating freshly prepared medium with a single colony of *Escherichia* 

*coli* ATCC 23724 and observation after incubation at  $35 \pm 2^{\circ}$ C for 18 - 24h.

#### **Bibliography:**

Lennox (1955) Transduction of linked genetic characters of the host by bacteriophage P1. *Virology* 1: 190-206 Sambrook, Fritsch and Maniatis (1989) In Molecular cloning: a laboratory manual, 2<sup>nd</sup> ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY.

Atlas and Parks (1993) In Handbook of Microbiological Media. CRC Press, Inc. London.

#### **Preparation:**

Add 15.5g of the dehydrated medium to one liter of distilled water. Mix well and dissolve by heating with regular agitation. Boil for 1 minute in order to dissolve completely. Dispense in appropriate containers and sterilize by autoclaving at 121°C for 15 to 20 minutes. Store at 2°C to 8°C.

### **Supplements (Optional):**

LB Broth (Miller's Modification) is a rich growth medium, which contains all the nutritional requirements for *E.coli*. Tryptone and Yeast Extract are the sources for carbon, nitrogen, vitamins, minerals, and amino acids essential for growth, whereas sodium chloride supplies essential electrolytes for transport and osmotic balance. For faster growth, medium can be supplemented with glucose (0.1%) or glycerol (0.4%). Many supplements, including antibiotics, are heat-sensitive and cannot be autoclaved. These should be filter-sterilized and added to the medium after it has cooled down.

